

# BDV7200X

## 24" Electric Air Vented Dryer



### GENERAL PROPERTIES

|                   |                             |
|-------------------|-----------------------------|
| Dryer Type        | Electric Air, Vented        |
| Style             | Front Load                  |
| Capacity          | 3.7 cu. ft.                 |
| Dry Load Capacity | 15.5 lbs.                   |
| Control Type      | Digital Display (White LED) |
| Connectivity      | –                           |
| Matching Washer   | BWM7200X                    |

### FEATURES


|                                |            |
|--------------------------------|------------|
| Steam Dryer                    | –          |
| OptiSense (Sensor Drying)      | Yes        |
| Bi-Directional Drum Action     | Yes        |
| Interior Drum LED Lighting     | –          |
| Clean Filter Indicator         | Yes        |
| Program Follower               | Yes        |
| Delay Start Time (Ending In)   | 0-24 Hours |
| Remaining Time Indicator       | Yes        |
| End of Cycle Buzzer (On / Off) | Yes        |
| Child Lock                     | Yes        |

### PREMIUM TECHNOLOGY




#### STACKING KIT INCLUDED WITH DRYER

Beko washer & dryers don't require any extra hardware to stack and start saving space.



#### GENTLE DRYING

These unique baffles within the dryer drum gently separate items as they dry for a more even, wrinkle-free result.



#### ANTICREASING

Gentle drum action separates clothing throughout the drying cycle to ensure ready-to-wear, wrinkle-free results.

# BDV7200X



## 24" Electric Air Vented Dryer

### FEATURES CONTINUED

|                          |        |
|--------------------------|--------|
| ProSmart Inverter Motor  | No     |
| Silence Level            | 67 dBA |
| Glass Door               | Yes    |
| Adjustable Leveling Legs | 4      |
| Stackable                | Yes    |

### EFFICIENCY

|                                       |              |
|---------------------------------------|--------------|
| Energy Efficiency Class               | –            |
| ENERGY STAR® Certified                | Yes          |
| Total Annual Energy Consumption (kWh) | 260 kWh/year |

### CYCLES

|                     |                                         |
|---------------------|-----------------------------------------|
| Number of Cycles    | 15                                      |
| Cottons / Normal    | Yes                                     |
| Permanent Press     | Yes                                     |
| Heavy Duty          | Yes                                     |
| Sports Wear         | Yes                                     |
| Mixed Fabric        | Yes                                     |
| Bedding             | Yes                                     |
| Sanitize            | Yes                                     |
| Towel               | Yes                                     |
| Wrinkle Free        | Yes                                     |
| Delicates           | Yes                                     |
| Wool                | Yes                                     |
| Quick Dry (30 min.) | Yes                                     |
| Air Fluff / No Heat | Yes                                     |
| Timed Dry           | Yes, 10-160 min.<br>(High and Low Temp) |

### OPTIONS

|                  |     |
|------------------|-----|
| Dry / Time Level | Yes |
| Remote Control   | –   |

### MATERIALS AND FINISHES

|                     |                   |
|---------------------|-------------------|
| Drum Material       | Galvanized Finish |
| Cabinet             | White             |
| Door Rim            | Silver            |
| Cycle Selector Knob | Silver            |

### TECHNICAL INFORMATION

|                                       |                                    |
|---------------------------------------|------------------------------------|
| Energy Source                         | Electric                           |
| Total Power (W)                       | 2,000 – 2,400 W                    |
| Volts / Frequency                     | 208/240V / 60Hz                    |
| Rated Amps (A) / Min. Circuit Breaker | 10 A / 15 A                        |
| Power Cord                            | Included, 4-Wire<br>(NEMA 14 -30R) |
| Power Cord Length                     | 4.9 ft.                            |
| Door Hinge                            | Right Side (Not Reversible)        |

### DIMENSIONS & WEIGHT

|                                   |                                                                        |
|-----------------------------------|------------------------------------------------------------------------|
| Product Dimensions (HxWxD) (in)   | 33 <sup>11</sup> / <sub>16</sub> x 23 <sup>1</sup> / <sub>2</sub> x 23 |
| Product Depth with Door Open (in) | 39 <sup>1</sup> / <sub>2</sub>                                         |
| Product Height When Stacked (in)  | 68                                                                     |
| Required Cutout Size (HxWxD) (in) | 36 x 24 <sup>3</sup> / <sub>4</sub> x 25                               |
| Carton (H x W x D) (in)           | 35 x 26 <sup>1</sup> / <sub>5</sub> x 28                               |
| Product Weight (lbs)              | 73.85                                                                  |
| Shipping Weight (lbs)             | 81.6                                                                   |

### ACCESSORIES (INCLUDED)




|              |                  |
|--------------|------------------|
| Stacking Kit | Yes (2979540100) |
|--------------|------------------|

### WARRANTY

|                              |                                                |
|------------------------------|------------------------------------------------|
| Entire Appliance             | 2 year Limited Warranty (Parts & Labor)        |
| Circuit Board and Dryer Drum | 5-year Limited Warranty (Parts Only Years 3-5) |

# BDV7200X

24" Electric Air Vented Dryer



## STACKING KIT


2979540100

Included with dryer purchase.  
Easily stack your units and save  
space without additional parts.

## 24" Electric Air Vented Dryer

### Clearances for Undercounter Installation

#### Only Vented Dryer




Required Minimum Clearances:  
(Stand Alone, Side by Side, or Stacked)

| Washer              | Vented Dryer        |
|---------------------|---------------------|
| Top: 1" (25 mm)     | Top: 1" (25 mm)     |
| Sides: 1/2" (13 mm) | Sides: 3/16" (4 mm) |
| Rear: 1/2" (13 mm)  | Rear: 4" (101.6 mm) |
| Front: xxxxx        | Front: 3/16" (5 mm) |

### Clearances for Undercounter Installation

#### Both Washer and Vented Dryer



NOTE: Separate outlets required for each unit

#### Closet Door Ventilation Requirement

##### Washer:

A louver having minimum 23 in<sup>2</sup> (148 cm<sup>2</sup>) air opening located at 3 in (7.62 cm) distance from the bottom of closet door.

##### Vented Dryer:

A louver having minimum 46 in<sup>2</sup> (297 cm<sup>2</sup>) air opening located at 3 in (7.62 cm) distance from the top of closet door.

##### Heat Pump Dryer:


Closet door must have 2 openings, one located 3.2 inches (8 cm) from bottom of door having a minimum area of 16 in<sup>2</sup> (103 cm<sup>2</sup>) and the other one located 3 inches (7.5 cm) from top of door having a minimum area of 46 in<sup>2</sup> (294 cm<sup>2</sup>).

# BDV7200X

## 24" Electric Air Vented Dryer



### Stacked Installation – Washer and Vented Dryer



NOTE: Separate outlets required for each unit

NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, [www.BekoAppliances.com](http://www.BekoAppliances.com), or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.